

## Agasthya 2013 Series Handheld O<sub>2</sub> Headspace Analyzer Model BI 4000



## Agasthya 2013 Series Handheld O<sub>2</sub> Headspace Analyzer Model BI 4000

The handheld O<sub>2</sub> Headspace analyser is specifically designed to test for the presence of oxygen in food packaged under modified and controlled atmospheres. The instrument is simple to use and is powered by maintenance free rechargeable batteries which can be charged by simply connecting the analyser to the mains supply.

The analyzer uses electrochemical fuel cell for oxygen analysis. Testing is done by simply inserting the needle probe into the package for test and pressing a PUMP ON/OFF key on the front panel to start the internal sample pump. The analysis of the gas is then shown on the LCD display.

Periodic calibration can be carried out using air or a calibration gas. The Analyzer is robust in construction and is unaffected by vibration or operating position. It is not flow sensitive or affected by changes in atmospheric pressure.

### Specifications

Sensor Technology	: Electrochemical
O <sub>2</sub> Range	: 0.1 to 100%
Resolution	: 0.1%
Repeatability	: ± 1% of reading
Battery life	: 6 Hours
Sampling pump	: Internal
Response time (T90)	: 15 sec
Data Storage	: 160 Set of data
Communication	: RS 232
Sample Connection	: Needle probe
Sample Temperature	: 50°C
Ambient Temperature	: 50°C
Humidity	: 0-95 % rh
Power	: 2200mAh Lithium-ion rechargeable batteries 80-230 VAC, 50 Hz, Adaptor
Area Classification	: General Purpose

# Agasthya 2013 Series Handheld O<sub>2</sub> Headspace Analyzer Model BI 4000

## Features

- Easy to operate and calibrate
- Maintenance Free
- Quick Response
- Dust and liquid arrestor
- Replaceable O<sub>2</sub> & CO<sub>2</sub> Sensor

## Applications

- Cosmetic products
- Fish
- Pharmaceutical Vials
- Salads
- Fresh & Cooked Meat
- Bakery
- Vegetables
- Snack Foods
- Ready Meals
- Blister Packs
- Ampoules and Packaging

## The package consists of

- One sampling probe assembly
- Two needles
- Two probe filters
- 200 foam seal pads
- Charger with 115/230 VAC adapter
- Instrument case

---

**BHOOMI** Process Management Pvt. Ltd.  
(Formerly known as Bhoomi Analyzers)

### Head Office :

409, 4th Floor, Avior (Nirmal Galaxy),  
Next to Deep Mandir, Opp. Johnson & Johnson,  
L.B.S. Marg, Mulund (W), Mumbai - 400080.

### Manufacturing Unit :

201, 207 & 208, G Wing, Udyog Bhavan No.: 2,  
Plot No.: K-3, Additional Ambernath MIDC,  
Ambernath-East-421506, Dist.: Thane, Maharashtra.

Phone : + 91-22-25916858, 25916916 Cell: +91 8652065039

Email : [sales@bhoomiltd.com](mailto:sales@bhoomiltd.com), [service@bhoomiltd.com](mailto:service@bhoomiltd.com)

Website : [www.bhoomiltd.com](http://www.bhoomiltd.com)